

so that the lower side of the adhesive pads 40 adhere to the user's skin, thereby retaining the skin over the user's face 52 in the lifted position.

While the invention has been described, disclosed, illustrated and shown in various terms of certain embodiments or modifications, which it has presumed in practice, the scope of the invention is not intended to be, nor should it be deemed to be, limited thereby and such other modifications or embodiments as may be suggested by the teachings herein are particularly reserved, especially as they fall within the breadth and scope of the claims here appended.

Claims

What is claimed is:

1. A face lifting wig comprising:
a substantially thin hair net structured to be snugly seated over a person's scalp in covering relation thereto, said hair net having at least two sections, means for fixedly attaching said sections to one another so as to create a reinforced seam therebetween, and a generally resilient border extending around an outer perimeter of said hair net, said border being structured to retain said hair net over said person's scalp; and

means for retaining the skin over a person's face in a lifted position.

2. A face lifting wig as recited in claim 1 wherein said means for fixedly attaching said sections to one another comprises stitching.

3. A face lifting wig as recited in claim 1 wherein said means for securing the skin over said person's face in a lifted position comprises at least one adhesive pad attached to a bottom surface of said border of said hair net.

4. A face lifting wig as recited in claim 3 wherein a first one of said reinforced seams extends from a temple on one side of said person's scalp to a temple on an opposite side of said person's scalp.

5. A face lifting wig as recited in claim 4 wherein a first adhesive pad is positioned in said border on a first end of said first one of said reinforced seams and a second adhesive pad

is positioned in said border on an opposite second end of said first one of said reinforced seams.

6. A face lifting wig as recited in claim 1 wherein said border is constructed of a coating of resilient material on said outer perimeter of said hair net.

7. A face lifting wig as recited in claim 6 wherein said resilient material is
5 polyurethane.

8. A face lifting wig comprising:

a substantially thin hair net structured to be snugly seated over a person's scalp in covering relation thereto, said hair net having at least two sections, means for fixedly attaching said sections to one another so as to create a reinforced seam therebetween, and a generally resilient border extending around an outer perimeter of said hair net, said border being structured to retain said hair net over said person's scalp; and

at least one adhesive pad attached to a bottom surface of said border of said hair net, said at least one adhesive pad being structured to retain the skin over a person's face in a lifted position.

9. A face lifting wig as recited in claim 8 wherein said means for fixedly attaching said sections to one another comprises stitching.

10. A face lifting wig as recited in claim 8 wherein a first one of said reinforced seams extends from a temple on one side of said person's scalp to a temple on an opposite side of said person's scalp.

11. A face lifting wig as recited in claim 10 wherein a first adhesive pad is positioned in said border on a first end of said first one of said reinforced seams and a second adhesive pad is positioned in said border on an opposite second end of said first one of said reinforced seams.

12. A face lifting wig as recited in claim 8 wherein said border is constructed of a coating of resilient material on said outer perimeter of said hair net.

13. A face lifting wig as recited in claim 12 wherein said resilient material is polyurethane.

14. A face lifting wig comprising:

a substantially thin hair net structured to be snugly seated over a person's scalp in covering relation thereto, said hair net having at least two sections, means for fixedly attaching said sections to one another so as to create a reinforced seam therebetween, and a generally resilient border extending around an outer perimeter of said hair net, said border being structured to retain said hair net over said person's scalp;

5 a first one of said reinforced seams extending from a temple on one side of said person's scalp to a temple on an opposite side of said person's scalp; and

at least one adhesive pad attached to a bottom surface of said border of said hair net, said at least one adhesive pad being structured to retain the skin over a person's face in a lifted position.

15. A face lifting wig as recited in claim 14 wherein said means for fixedly attaching said sections to one another comprises stitching.

16. A face lifting wig as recited in claim 14 wherein a first adhesive pad is positioned in said border on a first end of said first one of said reinforced seams and a second adhesive pad is positioned in said border on an opposite second end of said first one of said reinforced seams.

17. A face lifting wig as recited in claim 14 wherein said border is constructed of a coating of resilient material on said outer perimeter of said hair net.

18. A face lifting wig as recited in claim 17 wherein said resilient material is polyurethane.

20 19. A face lifting wig as recited in claim 14 wherein said adhesive pad is double sided tape.